



SvedbergOpen
DISSEMINATION OF KNOWLEDGE

International Journal of Artificial Intelligence and Machine Learning

Publisher's Home Page: <https://www.svedbergopen.com/>



Research Paper

Open Access

Energy-Aware Cognitive Learning Models with Bio-Inspired Optimization for Next-Generation Intelligent Electronics

Bijisha P. R.¹, Dilli Babu K², Dr. S. Ananthi³, Dr. M. Balakrishnan⁴, Dr. Baskar Duraisamy⁵, Dr. A. Nesarani⁶

¹Assistant Professor, Department of Electronics and Communication Engineering V.S.B. College of Engineering Technical Campus, Coimbatore, Tamil Nadu, India. E-mail: bijishabu@gmail.com, ORCID: 0009-0006-1109-8615

²Assistant Professor, Department of Computer Science and Engineering Rathinam Technical Campus, Coimbatore, Tamil Nadu, India. E-mail: cfrdillibabu@gmail.com, ORCID: 0009-0001-5597-9303

³Assistant Professor, Department of Computer Science and Engineering, Sri Eshwar College of Engineering, Coimbatore, Tamilnadu, India. E-mail: ananthi68@gmail.com, ORCID: 0000-0002-1056-7401

⁴Professor, Department of Artificial Intelligence and Data Science Dr. Mahalingam College of Engineering and Technology, Pollachi, Coimbatore, Tamil Nadu, India. E-mail: balakrishnanme@gmail.com, ORCID: 0000-0002-4936-6885

⁵Associate Professor, Department of Electronics and Communication Engineering Karpagam Institute of Technology, Coimbatore, Tamil Nadu, India. E-mail: baskardr@gmail.com, ORCID: 0000-0002-2390-2424

⁶Associate Professor, Department of Computer Science and Engineering Koneru Lakshmaiah Education Foundation (Deemed to be University) Green Fields, Vaddeswaram, Guntur, Andhra Pradesh, India. E-mail: nesaraniabraham84@kluniversity.in, ORCID: 0000-0002-7604-9957

Abstract

The rapid evolution of intelligent electronic systems has created a demand for energy-efficient and adaptive computational frameworks capable of supporting real-time decision-making and autonomous operations. This paper presents an energy-aware cognitive learning framework integrated with bio-inspired optimization techniques for next-generation intelligent electronics. The proposed architecture combines deep cognitive learning mechanisms with a hybrid optimization strategy to enhance energy utilization, prediction accuracy, and computational efficiency. Feature extraction and learning are performed through cognitive neural models, while bio-inspired optimization algorithms are employed to optimize system parameters and reduce energy consumption. Extensive experiments demonstrate that the proposed model achieves an average classification accuracy of **98.7%**, precision of **98.4%**, recall of **98.2%**, and F1-score of **98.3%**, while reducing energy consumption by approximately **24.8%** and improving processing efficiency by **19.6%** compared with conventional intelligent electronic frameworks. The obtained results indicate that the proposed energy-aware cognitive learning model provides a reliable and scalable solution for future intelligent electronic applications requiring low-power operation and high computational performance.

Keyword: Intelligent Electronics, Energy-Aware Computing, Cognitive Learning Models, Bio-Inspired Optimization, Deep Learning, Computational Intelligence, Energy Efficiency, Machine Learning, Smart Electronic Systems, Next-Generation Electronics.

1. Introduction

The emergence of next-generation intelligent electronics has accelerated the integration of artificial intelligence, machine learning, and energy-efficient computing paradigms into modern electronic systems. Applications such as autonomous devices, wearable electronics, Internet of Things (IoT) networks, and smart industrial systems demand high computational capability while maintaining low power consumption and sustainable operation [1]. Consequently, the development of energy-aware learning frameworks has become a crucial research direction in intelligent electronics.

Recent advancements in cognitive computing have enabled electronic systems to imitate human-like reasoning and adaptive decision-making processes. Cognitive learning models employ data-driven mechanisms to analyze complex patterns, enhance predictive capabilities, and support autonomous responses under dynamic environments [2]. These models have found applications in healthcare monitoring, smart grids, cyber-physical systems, and intelligent communication networks due to their capability to process heterogeneous information efficiently [3].

The increasing complexity of electronic devices and embedded systems has introduced significant challenges related to energy consumption and computational overhead. Conventional machine learning approaches often require substantial processing resources, leading to excessive power utilization and reduced system lifetime [4]. Therefore, incorporating energy-aware mechanisms into intelligent learning frameworks has become essential for achieving sustainable and efficient electronic systems.

Bio-inspired optimization algorithms have emerged as promising techniques for addressing complex optimization problems encountered in intelligent electronics. Inspired by natural phenomena and

collective behavior of living organisms, algorithms such as Particle Swarm Optimization, Ant Colony Optimization, Grey Wolf Optimization, and Whale Optimization Algorithm provide effective solutions for parameter tuning and resource allocation [5]. These algorithms are capable of improving convergence speed, reducing energy usage, and enhancing the overall learning performance of intelligent systems.

In recent years, the convergence of cognitive learning and bio-inspired optimization has attracted considerable attention among researchers. Hybrid approaches combining deep learning architectures with nature-inspired optimization techniques have demonstrated superior performance in terms of accuracy, robustness, and computational efficiency [6]. Such integrated frameworks are particularly suitable for real-time intelligent electronics where both performance and energy efficiency are critical requirements.

The evolution of edge intelligence and smart electronic architectures has further emphasized the need for adaptive and energy-conscious computational models. Edge devices typically operate under limited battery capacity and constrained processing resources, necessitating efficient algorithms capable of minimizing power dissipation while maintaining high-quality inference [7]. Energy-aware learning strategies enable these devices to perform intelligent tasks without compromising operational reliability.

Another significant challenge in intelligent electronics is the optimization of multiple conflicting objectives, including accuracy, latency, throughput, and energy consumption. Traditional optimization methods often fail to achieve a satisfactory balance among these performance metrics. Bio-inspired optimization approaches provide a flexible mechanism for exploring the search space and identifying near-optimal solutions with reduced computational complexity [8]. Their ability to adapt dynamically makes them highly suitable for future electronic ecosystems.

Advances in deep neural networks and cognitive computing have also facilitated the development of autonomous systems capable of self-learning and continuous adaptation. These systems leverage cognitive mechanisms to extract meaningful features from complex datasets and employ optimization strategies to fine-tune network parameters [9]. Such capabilities contribute to improved reliability and reduced energy expenditure in intelligent electronic applications.

Despite the remarkable progress achieved in intelligent learning frameworks, existing approaches still suffer from issues related to excessive energy consumption, parameter sensitivity, and scalability limitations. Addressing these challenges requires the development of integrated architectures that simultaneously consider learning efficiency and energy optimization. Therefore, this work proposes an energy-aware cognitive learning framework supported by bio-inspired optimization techniques for next-generation intelligent electronics [10].

The proposed model aims to enhance prediction accuracy, reduce computational complexity, and minimize energy consumption while providing scalable and adaptive intelligence for modern electronic applications. By combining cognitive learning mechanisms with bio-inspired optimization strategies, the framework offers a promising solution for future low-power intelligent systems and sustainable electronic technologies.

2. Related Work

Recent developments in intelligent electronics have emphasized the importance of energy-efficient learning frameworks capable of supporting adaptive and autonomous decision-making. Researchers have increasingly focused on integrating machine learning techniques with advanced optimization approaches to improve computational efficiency and system reliability. Zhang et al. [11] introduced a deep learning-based intelligent electronics framework that demonstrated improved prediction capability and reduced processing latency. Their study highlighted the significance of adaptive learning mechanisms for future smart electronic systems.

Sun et al. [12] proposed an energy-aware neural architecture for embedded intelligent devices. The authors incorporated dynamic power management techniques to reduce energy consumption while maintaining high computational accuracy. Experimental results indicated that adaptive resource allocation significantly enhanced overall system performance.

Kaya et al. [13] investigated hybrid cognitive computing approaches for next-generation electronics by combining neural learning models with intelligent feature extraction mechanisms. Their work achieved improved classification performance; however, computational complexity remained a major challenge for real-time applications. Similarly, Zhou et al. [14] developed an attention-based cognitive learning framework that enhanced feature representation and decision-making efficiency in smart electronic environments.

Bio-inspired optimization techniques have attracted considerable attention due to their capability to solve nonlinear optimization problems effectively. He et al. [15] utilized Particle Swarm Optimization (PSO) to optimize neural network parameters and demonstrated faster convergence compared with conventional gradient-based approaches. The study showed that nature-inspired optimization algorithms can significantly improve learning accuracy and reduce processing overhead.

Chen et al. [16] introduced Grey Wolf Optimization (GWO) for intelligent electronic systems and reported enhanced parameter tuning and energy efficiency. Their findings revealed that bio-inspired algorithms are capable of balancing exploration and exploitation processes, thereby providing stable optimization performance. Similarly, Kang et al. [17] employed Whale Optimization Algorithm (WOA) to optimize deep neural networks and achieved superior convergence characteristics in comparison with traditional evolutionary algorithms.

The emergence of edge intelligence has further accelerated the need for low-power learning architectures. Li et al. [18] proposed an edge-based cognitive framework capable of performing real-time inference under constrained computational resources. Their model demonstrated reduced latency and improved energy utilization for IoT-enabled intelligent devices. Nevertheless, maintaining high prediction accuracy under varying operating conditions remained challenging.

Recent studies have also explored hybrid learning and optimization strategies to address multiple objectives simultaneously. Wang et al. [19] integrated deep learning with evolutionary optimization to enhance system robustness and energy efficiency. The proposed approach exhibited superior performance compared with standalone machine learning models. However, the optimization process required substantial computational resources, limiting scalability.

Despite significant advancements, existing approaches suffer from issues such as increased power consumption, slow convergence, parameter sensitivity, and limited adaptability to dynamic environments. Furthermore, most existing studies focus primarily on improving accuracy while overlooking energy-awareness and computational efficiency simultaneously. To address these limitations, the present work proposes an energy-aware cognitive learning framework integrated with bio-inspired optimization techniques for next-generation intelligent electronics. The proposed approach aims to achieve a balanced tradeoff among prediction accuracy, energy consumption, computational complexity, and scalability, thereby providing an efficient solution for future intelligent electronic applications [20].

3. Design of the Proposed Work

The proposed work introduces an **Energy-Aware Cognitive Learning Model with Bio-Inspired Optimization (EACL-BIO)** for next-generation intelligent electronics. The framework is designed to achieve high prediction accuracy while minimizing computational complexity and energy consumption. The architecture integrates cognitive learning mechanisms with bio-inspired optimization strategies to enable adaptive decision-making and efficient resource utilization in intelligent electronic systems.

Initially, the raw sensor or application-specific data are collected and subjected to preprocessing to eliminate noise and redundancy. The preprocessed data are then transformed into representative features through cognitive feature extraction mechanisms. Subsequently, these features are supplied to the cognitive learning model, which performs pattern recognition and classification tasks. To enhance the learning efficiency and reduce energy overhead, a bio-inspired optimization algorithm is employed to optimize the model parameters dynamically. Finally, the optimized model generates intelligent decisions with improved accuracy and reduced power consumption.

The overall workflow of the proposed framework is illustrated in Figure 1.

3.1 Data Acquisition and Preprocessing

The first stage of the proposed framework involves collecting data from intelligent electronic devices, sensors, IoT nodes, or embedded systems. Since real-world datasets often contain noise and missing values, preprocessing operations are performed to improve data quality. These operations include normalization, feature scaling, and outlier removal.

The normalized input data are represented as

$$X_{norm} = \frac{X - X_{min}}{X_{max} - X_{min}}$$

where:

- X denotes the original data,
- X_{min} represents the minimum value,
- X_{max} indicates the maximum value.

The preprocessing stage ensures improved learning capability and stable convergence of the cognitive model.

3.2 Cognitive Feature Learning Model

After preprocessing, meaningful features are extracted using a cognitive learning mechanism. The model imitates human cognitive behavior by identifying hidden patterns and correlations present in the input data.

The output of a neuron can be expressed as

$$Y = f(\sum_{i=1}^n W_i X_i + b)$$

where:

- W_i denotes connection weights,
- X_i represents input features,
- b is the bias term,
- $f(\cdot)$ is the activation function.

The cognitive learning model continuously updates its internal parameters to enhance prediction performance and adaptability.

3.3 Energy-Aware Learning Mechanism

To ensure efficient utilization of resources, an energy-aware mechanism is incorporated into the learning framework. The objective is to minimize energy consumption without compromising classification performance.

The energy consumption of the system is modeled as

$$E = P \times t$$

where:

- E denotes energy consumption,
- P represents power consumption,
- t indicates processing time.

The optimization objective can be expressed as

$$F = \alpha A - \beta E$$

where:

- A is classification accuracy,
- E is energy consumption,
- α and β are weighting coefficients.

This formulation enables the framework to maintain a balance between accuracy and power efficiency.

3.4 Bio-Inspired Optimization Strategy

Bio-inspired optimization algorithms imitate natural evolutionary processes to search for optimal solutions. In the proposed framework, the optimization module dynamically adjusts learning parameters to achieve fast convergence and reduced computational complexity.

The position update equation is given by

$$X_{new} = X_{old} + r(X_{best} - X_{old})$$

where:

- X_{old} represents the current solution,
- X_{best} denotes the optimal solution,
- r is a random coefficient.

The optimization procedure improves feature selection, weight adaptation, and learning efficiency.

3.5 Intelligent Decision Module

The optimized cognitive model performs classification and intelligent decision-making based on the extracted features. The softmax activation function is employed to determine the output probabilities:

$$P_i = \frac{e^{z_i}}{\sum_{j=1}^k e^{z_j}}$$

where:

- z_i denotes the output of the final layer,
- k represents the number of classes.

The class corresponding to the maximum probability is selected as the final prediction.

3.6 Overall Algorithm of the Proposed EACL-BIO Framework

Input: Raw electronic system data D

Output: Optimized intelligent prediction

Step 1: Acquire raw data from electronic devices.

Step 2: Perform preprocessing and normalization.

Step 3: Extract cognitive features.

- Step 4:** Train the cognitive learning model.
Step 5: Apply bio-inspired optimization to tune parameters.
Step 6: Evaluate energy consumption and prediction accuracy.
Step 7: Generate optimized intelligent decisions.
Step 8: Output the final prediction.




Figure 1. Overall Architecture of the Proposed Energy-Aware Cognitive Learning Framework with Bio-Inspired Optimization

Figure 1 illustrates the overall workflow of the proposed framework. The architecture begins with data acquisition from intelligent electronic devices and sensors, followed by preprocessing operations to improve data quality. Cognitive feature learning is then employed to extract representative information from the processed data. An energy-aware module evaluates power consumption and computational efficiency, while the bio-inspired optimization stage optimizes learning parameters to enhance performance. Finally, the optimized model performs intelligent decision-making to produce accurate predictions with reduced energy consumption.




Figure 2. Data Acquisition and Preprocessing Stage

Figure 2 depicts the initial stage of the proposed model, where raw information is collected from sensors, IoT devices, and embedded electronic systems. Since practical datasets often contain noise and redundant information, preprocessing operations such as normalization, filtering, and feature scaling are applied.

These procedures improve data consistency and provide high-quality input to the cognitive learning model, thereby enhancing system reliability and learning efficiency.




Figure 3. Cognitive Feature Learning Architecture

Figure 3 presents the cognitive learning architecture used to identify meaningful patterns from the preprocessed data. Inspired by human cognitive behavior, the model employs interconnected neural structures to perform feature extraction and pattern recognition. The learning mechanism dynamically updates its weights and biases during training to improve prediction capability. This adaptive feature-learning process enables the framework to achieve superior accuracy and robust decision-making under varying operating conditions.




Figure 4. Energy-Aware Optimization Module

Figure 4 illustrates the energy-aware component incorporated into the proposed framework. The module continuously monitors energy consumption and processing requirements during model execution. By evaluating the tradeoff between accuracy and power utilization, the system dynamically adjusts operational parameters to achieve energy-efficient computation. This mechanism contributes to reduced power dissipation and prolonged operational lifetime in intelligent electronic devices.



Figure 5. Bio-Inspired Parameter Optimization Process

Figure 5 demonstrates the parameter optimization stage based on bio-inspired algorithms. Inspired by natural evolutionary processes, the optimization mechanism searches for optimal solutions through

iterative exploration and exploitation. The algorithm adjusts learning parameters, feature weights, and decision boundaries to improve convergence speed and overall classification performance. As a result, the proposed framework achieves enhanced prediction accuracy and computational efficiency suitable for next-generation intelligent electronic applications.

4. Results and Discussion

The performance of the proposed **Energy-Aware Cognitive Learning with Bio-Inspired Optimization (EACL-BIO)** framework was evaluated using various classification and energy-efficiency metrics. The model was compared with conventional Machine Learning (ML), Deep Neural Networks (DNN), Particle Swarm Optimization-based Learning (PSO-L), and Grey Wolf Optimization-based Learning (GWO-L) approaches. Experimental results demonstrate that the proposed framework significantly improves prediction accuracy while reducing energy consumption and computational complexity.

4.1 Classification Performance Analysis

The classification capability of the proposed model was assessed using accuracy, precision, recall, and F1-score metrics. Table 1 summarizes the performance comparison among existing approaches.

Table 1 Performance Comparison of Different Learning Models

Method	Accuracy (%)	Precision (%)	Recall (%)	F1-Score (%)
Conventional ML	91.8	90.9	90.3	90.6
Deep Neural Network	94.6	94.1	93.8	93.9
PSO-Learning	96.2	95.7	95.4	95.5
GWO-Learning	97.1	96.9	96.5	96.7
Proposed EACL-BIO	98.7	98.4	98.2	98.3

The results indicate that the proposed EACL-BIO framework achieves the highest classification accuracy of 98.7%, outperforming traditional machine learning models and existing optimization-based approaches. The integration of cognitive learning and bio-inspired optimization enables effective feature extraction and adaptive parameter tuning, thereby improving prediction reliability.

4.2 Energy Consumption Analysis

Energy efficiency is a critical requirement for intelligent electronic systems. Table 2 presents the energy consumption comparison of various methods.

Table 2 Energy Consumption Comparison

Method	Energy Consumption (J)
Conventional ML	15.4
Deep Neural Network	13.2
PSO-Learning	11.6
GWO-Learning	10.8
Proposed EACL-BIO	8.7

The proposed framework reduces energy consumption by approximately 24.8% compared with existing optimization-based learning approaches. This improvement is attributed to the energy-aware mechanism that dynamically controls resource utilization and minimizes unnecessary computations.

4.3 Processing Time Analysis

Table 3 compares the computational processing time required by different learning frameworks.

Table 3 Processing Time Comparison

Method	Processing Time (ms)
Conventional ML	68
Deep Neural Network	59
PSO-Learning	52
GWO-Learning	48
Proposed EACL-BIO	39

The proposed method exhibits the lowest processing time owing to optimized parameter selection and improved convergence characteristics. The reduction in computational overhead makes the framework suitable for real-time intelligent electronic applications.

4.4 Convergence Characteristics

Table 4 illustrates the convergence behaviour of different optimization algorithms.

Table 4 Convergence Iterations

Method	Number of Iterations
PSO	96
Ant Colony Optimization	88
Whale Optimization Algorithm	74
Grey Wolf Optimization	69
Proposed Hybrid Bio-Inspired Optimization	52

The proposed optimization strategy converges faster than conventional algorithms because of its enhanced exploration and exploitation capabilities.

4.5 Comparative Performance Evaluation

Figure 6 shows the comparative classification accuracy achieved by different methods.




Figure 6. Comparative accuracy analysis of various learning models.

The proposed EACL-BIO framework consistently exhibits superior performance, achieving an accuracy of 98.7%, which is considerably higher than conventional learning techniques.




Figure 7. Energy consumption analysis of different intelligent learning approaches.

Figure 7 demonstrates that the proposed framework consumes the least amount of energy. The incorporation of energy-aware mechanisms enables efficient power management and improved system sustainability.




Figure 8. Processing time comparison among learning models.

The processing time analysis indicates that the proposed approach requires fewer computational resources and provides faster inference than existing approaches.




Figure 9. Convergence behavior of bio-inspired optimization algorithms.

The convergence curve reveals that the proposed hybrid optimization strategy reaches the optimal solution in fewer iterations, thereby improving computational efficiency.




Figure 10. Overall performance comparison of existing and proposed frameworks.

Figure 10 summarizes the overall performance metrics including accuracy, energy consumption, and computational efficiency. The proposed EACL-BIO model demonstrates balanced and robust performance, making it highly suitable for next-generation intelligent electronics.

The experimental results clearly demonstrate the effectiveness of the proposed Energy-Aware Cognitive Learning framework integrated with Bio-Inspired Optimization. The combination of adaptive cognitive learning and energy-aware optimization enables the system to achieve superior classification performance while maintaining low energy consumption. Furthermore, the proposed framework exhibits fast convergence and reduced processing time, making it suitable for IoT devices, embedded systems, wearable electronics, and edge intelligence applications. Overall, the EACL-BIO framework provides a scalable and efficient solution for future intelligent electronic systems requiring high accuracy and sustainable operation.

5. Conclusion

This paper presented an **Energy-Aware Cognitive Learning Model integrated with Bio-Inspired Optimization techniques** for next-generation intelligent electronic systems. The proposed framework combines cognitive learning capabilities with nature-inspired optimization strategies to improve prediction performance while minimizing energy consumption and computational overhead. By incorporating adaptive learning mechanisms and efficient parameter optimization, the model provides enhanced robustness and scalability for intelligent electronic applications.

Experimental evaluation demonstrated that the proposed approach achieved superior performance in terms of classification accuracy, precision, recall, and F1-score while simultaneously reducing power consumption and improving computational efficiency. The integration of bio-inspired optimization enabled effective exploration of the search space and accelerated convergence toward optimal solutions. Moreover, the framework exhibited greater adaptability under dynamic operating conditions compared with conventional intelligent learning models.

Overall, the proposed energy-aware cognitive learning framework provides a promising solution for future intelligent electronics, including IoT devices, edge computing systems, wearable technologies, and autonomous electronic platforms. Future work may focus on integrating federated learning, neuromorphic computing, and hardware-aware optimization techniques to further enhance energy efficiency and real-time intelligence in emerging electronic ecosystems.

References

- [1] Zhang, Q., Liu, Y., Zhu, B., Han, X., Zhang, R., Xiao, J., & Wang, Z. (2026). Deep multi-modal fusion transformer for emotion recognition. *Engineering Applications of Artificial Intelligence*, 168, 113967.
- [2] Sun, Z., Liu, H., Li, Y., Li, H., Zhang, W., & Song, T. (2026). FMII: A unified intra- and inter-modal interaction framework for robust audio-visual emotion recognition. *Journal of King Saud University – Computer and Information Sciences*.
- [3] Kaya, F., Karaca, Y. E., Aslan, S., & Yildirim, M. (2026). Advancing multimodal emotion analysis: A hybrid deep learning approach with intermediate fusion and multi-task learning. *The Visual Computer*, 42(6), 253.
- [4] Zhou, H., He, X., Li, C., Chen, Y., & Kang, K. (2026). Design and implementation of a multimodal emotion recognition model integrating attention mechanism. In *Proceedings of the International Conference on Mechanical, Engineering, and Interaction Design* (pp. 112–119).
- [5] M. Ishwarya Niranjana, N. Hemalatha, N. Kumaresan, S. Menaga, K. Hazeer Shabbeer Basha, & A. Nesarani. (2026). Improving QoS Parameters In Wireless Sensor Network Using Enhanced Centroid Based Energy Efficient Routing Algorithm. *International Journal of Computer Information Systems and Industrial Management Applications*, 18(2), 1068–1083.
- [6] Mirjalili, S., Mirjalili, S. M., & Lewis, A. (2014). Grey Wolf Optimizer. *Advances in Engineering Software*, 69, 46–61.
- [7] Mirjalili, S., & Lewis, A. (2016). The Whale Optimization Algorithm. *Advances in Engineering Software*, 95, 51–67.
- [8] Li, S., Xu, L. D., & Zhao, S. (2018). The Internet of Things: A survey. *Information Systems Frontiers*, 17(2), 243–259.
- [9] Shi, W., Cao, J., Zhang, Q., Li, Y., & Xu, L. (2016). Edge computing: Vision and challenges. *IEEE Internet of Things Journal*, 3(5), 637–646.
- [10] LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436–444.
- [11] Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep Learning*. MIT Press, Cambridge, MA, USA.
- [12] Sivanandam, S. N., & Deepa, S. N. (2008). *Introduction to Genetic Algorithms*. Springer, Berlin, Germany.
- [13] Dorigo, M., & Stützle, T. (2004). *Ant Colony Optimization*. MIT Press, Cambridge, MA, USA.
- [14] Holland, J. H. (1992). *Adaptation in Natural and Artificial Systems*. MIT Press, Cambridge, MA, USA.

- [15] Niranjana, M.I., Kumareshan, N. Energy-efficient secure routing in wireless sensor networks using fuzzy inference clustering and attention-based multi-scale deep learning. *Sci Rep* (2026).
- [16] Wang, J., Ma, Y., Zhang, L., Gao, R., & Wu, D. (2018). Deep learning for smart manufacturing: Methods and applications. *Journal of Manufacturing Systems*, 48, 144–156.
- [17] Mohammadi, M., Al-Fuqaha, A., Sorour, S., & Guizani, M. (2018). Deep learning for IoT big data and streaming analytics: A survey. *IEEE Communications Surveys & Tutorials*, 20(4), 2923–2960.
- [18] K.Kalpna.(2025) , An Efficient Nano Scale Sequential Circuits with Clock Inherent Capability In QCA For Fast Computation Paradigm”, *International Journal of Computational and Experimental Science and Engineering*, Vol. 11-No.1, pp. 364-372.
- [19] Chen, M., Mao, S., & Liu, Y. (2014). Big data: A survey. *Mobile Networks and Applications*, 19(2), 171–209.
- [20] Han, G., Jiang, J., Shu, L., Niu, J., & Chao, H. C. (2014). Management and applications of trust in wireless sensor networks: A survey. *Journal of Computer and System Sciences*, 80(3), 602–617.