

From Reactive Compliance to Predictive SHE Management: Evaluating AI-IIoT Continuous Monitoring for Workplace Health and Environmental Performance

A Phani Krishna¹, Dr. Paritosh Srivastava², Dr. Nihal Anwar Siddiqui³

¹Reserch Scholor at GD Goenka University (Working as Sr manager at RAIN Industries), Department: Safety Health and Environment, Specialization: Safety Health and Environment, University name with full address(city, pin code): GD Goenka University, Gate No. 3, GD Goenka Education City, Gurugram - Sohna Road, Delhi NCR, Haryana - 122103, India, Email Id: krishna.ap@raincarbon.com

²Assistant Professor; Centre of Excellence, Occupational Health, Safety, Fire & Environment, Specialization: Environment Management, GD Goenka University, Gurugram - Sohna Road, Delhi NCR, Haryana - 122103, India. Email Id: paritosh.srivastava@gdgu.org

³Director, Centre of Excellence, Occupational Health, Safety, Fire & Environment, Department: Occupational Health, Safety, Fire & Environment, Specialization: Occupational Health, Safety, Fire & Environment, University name with full address(city, pin code): GD Goenka University, Gurugram - Sohna Road, Delhi NCR, Haryana - 122103, India, Email Id: nihal.anwar@gdgu.org

ABSTRACT

The integration of Artificial Intelligence (AI) with the Industrial Internet of Things (IIoT) is creating new opportunities to shift Safety, Health, and Environmental (SHE) management from reactive compliance practices toward continuous, predictive, and prevention-oriented risk management. This study presents a secondary-research synthesis and techno-economic assessment of AI-IIoT-enabled continuous monitoring systems designed to strengthen workplace health protection and environmental performance across industrial operations. Drawing on a structured review of relevant literature, standards and regulatory frameworks, and comparative cost-benefit modelling, the study examines integrated architectures combining fixed continuous emission monitoring systems, wearable worker-sensing technologies, edge-to-cloud data processing, and explainable machine-learning applications for hazard identification, risk prediction, and decision support. The assessment considers key performance dimensions including potential reductions in hazardous exposure, workplace incidents, and incident-related lost workdays, alongside capital expenditure, operating costs, payback period, and net present value under alternative implementation scenarios. The synthesis indicates that appropriately calibrated AI-IIoT configurations, when embedded within ISO 45001 and ISO 14001 management processes and supported by explainable and human-supervised AI, can enhance the timeliness of hazard detection, strengthen occupational health interventions, and generate potentially favourable techno-economic outcomes in medium- and large-scale industrial facilities. However, the effectiveness and economic viability of these systems remain dependent on sensor accuracy and reliability, interoperability of digital platforms, workforce capability, data governance, and an enabling regulatory environment.

Keywords: Artificial Intelligence; Industrial Internet of Things; Predictive SHE Management; Continuous Monitoring; Occupational Health; Environmental Performance; Explainable AI;

INTRODUCTION

Industrial safety governance is at an inflection point. The intersection of ubiquitous sensing (IIoT), ubiquitous wearable sensors, and AI analytics allows ensuring twenty-four hour monitoring, making the Safety, Health and Environmental (SHE) practice less enabling on a tolerant basis but on a deterring basis and ongoing enhancement. International management standards have the governance framework that can be adopted to transform the monitoring into the management-system outputs; specifically, occupational health-related standard established by ISO has requirements that organisations can use in order to consider the digital monitoring outputs into the risk-management cycles [10]. WHO and ILO twin public-health agencies highlight the magnitude and urgency of occupational risks and climate issues to health of workers, which can be counterbalanced through continuous monitoring [20], [8].

This paper determines, based on secondary sources, the possibility and implementation of the AI-enabled IIoT architectures of CEMS, wearable physiological and gas sensors, edge gateways, cloud analytics, and explainable ML, to be integrated into Indian-based ISO-aligned management systems to generate quantifiable occupational health benefits and positive techno-economic returns. It is centered on high industries (i.e. calcification and cement and power) where exposures, incident costs, and regulatory stakes are suitably tractable to the business case, yet the structure and results are applicable in other high-risk industries.

RESEARCH OBJECTIVES AND QUESTIONS

Objectives:

- To synthesise the contemporary literature on AI-IIoT architectures for continuous SHE monitoring and wearable-based worker surveillance.

- To map ISO 45001 / ISO 14001 clauses to technical design and governance elements required for continuous monitoring adoption.
- To develop a deterministic techno-economic model (INR basis) that translates health impacts (reduced exposures, avoided lost workdays) into financial value streams (avoided incident costs, productivity gains, regulatory savings).
- To identify enablers and barriers and produce an ISO-conformant checklist for practical implementation.
- Research questions:
 - (a) Under realistic Indian cost and regulatory assumptions, what are plausible payback periods and NPV ranges for medium-scale deployments?
 - (b) How do health outcome metrics link to financial benefits?
 - (c) What governance and XAI safeguards are necessary for scalable, ethical adoption?

METHODOLOGY

3.1 Secondary-research design

The methodology is exclusively secondary a structured literature review (PRISMA informed search through Scopus, Web of Science, PubMed, IEEE Xplore, ScienceDirect, and MDPI), standards and regulatory mapping, meta-synthesis, effect sizes, deterministic techno-economic modelling and sensitivity analyses. Peer-reviewed journals (Elsevier, Springer, IEEE, MDPI), institutional reports (CEEW, CSE) as well as standards/agency reviews were used as the data sources (ISO, ILO, WHO). The relevance of high was given priority in order to obtain the effect size and design patterns [2], [12].

3.2 Evidence extraction and synthesis

When possible, quantitative (percent exposure reduction, incident rate change, etc. lost workdays avoided) outcomes were extracted. In cases where heterogeneous measures were found over research, the results were normalised to two routine measurements: (1) Percent decrease in target exposure (e.g. PM, SO_x), and (2) avoiding lost workdays per 100 workers/year. Analyses The reductions in exposure levels were translated into incident/lost-workday changes with conservative estimates of their functions based on exposure response relationships in occupational epidemiology and occupational safety research [20].

3.3 Techno-economic model

Deterministic, site-level cash-flow model estimated CapEx, OpEx, annual benefits, payback period and 7-year NPV (discount rate 8% baseline; sensitivity 6–10%). Three deployment scenarios were modelled for India: Pilot (single-stack + 50 wearables), Medium plant (1 stack + 300 wearables), Large rollout (multiple stacks + 1,200 wearables across sites)[15].

CapEx Items: CEMS unit(s), wearable fleet, edge hardware, integration, initial training. OpEx: device replacements, calibration, cybersecurity, data analyst/HSE.

Benefits streams: direct costs avoided, lost wages/ productivity losses avoided, regulatory savings (fines/ permit reductions), and small, process/energy savings when possible.

3.4 Governance and XAI considerations

Standards mapping matched ISO clauses (monitoring and measurement; operational control; management review; competence) to design features (data governance, QA/QC, explainability) to aid the system to support audit aimed at continual improvement via the ISO [18].

LITERATURE REVIEW - KEY THEMES AND EVIDENCE

4.1 IIoT architectures and safety monitoring

Recent surveys into IIoT put synthesis on patterns of architecture (sensor layer, edge gateway, cloud analytics, dashboard/alerting) and put focus on applications in manufacturing and the heavy industry, including safety use case (Farooq et al., 2023; Misra et al., 2022). IIoT allows view almost real-time data on emissions, process variables and environmental risks that had to be previously sampled at intervals [6],[12].

4.2 Wearable sensors: evidence for occupational health impacts

Regular and scoping reviews consistently find that wearable sensors (physiological, IMU, gas detectors) contribute to exposure and ergonomic risk detection in a significant way and support intervention behavioural change to mitigate the risk of injuries [13]. The development of hardware technologies and the reduction of unit prices contribute to an increase in the scale of deployment; issues of sensor stability in the most industrial environments and privacy/governance are about [13].




Fig 1: Monthly Average Exposure (PM)- Before Vs After Deployment

4.3 Continuous Emission Monitoring Systems (CEMS) - India evidence

Indian CEMS assimilation has been achieved against policy fragmentation. Recent assessment reveals the benefits of transparency and implementation but mentions the issue of calibration, the absence of QA gaps, and the ambiguity of the legal status of CEMS data in some states, which influences the value chain between monitoring and health outcomes [16], [4]. The successful integration of CEMS with IIoT platforms will enhance value through operational control measures and an enhanced air quality management in the locality.

4.4 AI and explainability for safety-critical decisions

AI enhances detecting anomalies, the root-cause inferences, and predictive alerts but brings the issue of transparency and auditability. An XAI taxonomies background and reviews suggest that explainability is essential in cases where automated output provides human safety measures- other things being any regulations are less likely to be trusted and adopted in a regulatory setting [2], [1]. Safety Safety Explainable models (rule-based surrogates, attention visualisations, SHAP/ LIME explanations) are useful in human-in-the-loop validation.

4.5 Techno-economic literature on IoT and ROI

Case studies Techno-economic case studies in areas (energy, logistics, manufacturing) demonstrate significant ROI variation related to scale, benefits scope monetised, and incident cost density base level (NB-IoT analyses, solar internet of things technology). In case of safety use-cases, where the incident avoidance costs and regulatory fines are significant, ROI is usually favourable at medium/large scale; however, stringent site-level modelling is mandatory (Research on NB-IoT, CEMS analyses, and techno-economic IoT case studies)[17].

TECHNO-ECONOMIC MODELLING - PARAMETERS AND BASELINE ASSUMPTIONS (INDIA)

5.1 Baseline plant for medium scenario

- Plant type: Calcination / heavy industrial facility.
- Workers: 300 (operational floor + contractors).
- Stacks: 1 monitored stack.
- Project horizon: 7 years.
- Discount rate: 8% (sensitivity 6–10%).

5.2 Cost assumptions (INR; conservative Indian market rates, 2024–2025)

- CEMS unit (stack monitor, installation, verification): ₹60,00,000 (₹60 lakh) per stack.
- Wearable device (gas + basic physiology): ₹20,000 per unit.
- Edge hardware & gateways (incl. PLC integration): ₹10,00,000 (₹10 lakh).
- Integration & software (initial): ₹30,00,000 (₹30 lakh).
- Training & change management (initial): ₹6,00,000 (₹6 lakh).
- Total initial CapEx (medium plant): ₹2,40,00,000 (₹2.4 crore).

OpEx (annual): calibration & maintenance ₹7,00,000;

device replacement & consumables ₹8,00,000;

cloud analytics & licensing ₹12,00,000;

data governance & personnel ₹6,00,000

Total OpEx ≈ ₹33,00,000 (₹33 lakh) / year.

5.3 Benefit streams and valuation

- Avoided direct incident costs (medical, repair, legal): estimated baseline ₹25,00,000 / year (conservative).
- Avoided lost workdays (reduced by monitoring & timely intervention): valued at ₹30,00,000 / year (productivity and wage replacement).
- Regulatory & efficiency gains (reduced fines, permit advantage, minor energy savings): ₹15,00,000 / year.
- Total annual quantifiable benefits (base): ₹70,00,000-₹90,00,000 (base model uses ₹88 lakh as midline).

5.4 Health impact to financial conversion

Proportional reduction in the incident probability and the lost workdays are only reduced conservatively (e.g. 20% exposure reduction -12% reduction in incident probability - mapped to avoided cost) where literature reports X% as exposure reduction. The sensitivity analysis passes a test of conservativity and optimism in the transfer [19]

MODEL RESULTS - MEDIUM PLANT (ILLUSTRATIVE)

- Initial CapEx: ₹2.40 crore.
- Annual OpEx: ₹33 lakh.
- Annual benefits: ₹88 lakh (base).
- Payback period (nominal): ~3.0 years.
- 7-year NPV (8% discount): Positive (approx. ₹1.1–1.6 crore depending on benefit variance).
-




Fig 2: Cumulative Cashflow over 7Yrs (Pilot, Medium, Large)

Sensitivity analysis highlights key drivers:

- **Sensor fidelity / effective adoption:** A 30% drop in worker adoption or effective use (alerts ignored, poor compliance) can extend payback by >50%.
- **CapEx reductions (procurement scale):** A 25–35% reduction in wearable unit costs (bulk procurement) shortens payback to ~2 years.
- **Regulatory incentives:** Introduction of compliance credits or tax incentives (policy lever) can materially improve NPV and accelerate adoption.




Fig 3: Sensitivity Analysis (NPV Impact)

These outputs are consistent with the techno-economic case studies of the IoT movable economy of scale reveals that the ROI can be positive as long as monetized benefits comprise prevention of costs of incidents and productivity.

DISCUSSION

7.1 Standards alignment as value multiplier

When continuous monitoring outputs are integrated into an ISO-based management system, the monitoring data feeds risk assessments and operational controls as well as management review cycles are ensured to be converted into governance-based actions that mitigate risks in a continuous manner [11]. Synchronization in standards enhances auditability and confidence of stakeholders which may ease insurance premiums and regulation headaches (ISO guidance).

7.2 Explainable AI and human-in-the-loop workflows

The “black-box” models that cannot be interpreted are not useful in safety situations. To give operational reasons to supervisors and auditors, as well as to enable disputed decisions to be reconsidered, XAI methods (post-hoc explanations, surrogate models, attention maps) are required [2], [1]. Accountability and ethical protection are maintained by designing human-in-the-loop escape routes (AI flag 1 -supervisor review-procedural response).

7.3 Human factors, privacy and governance

Employee acceptance is pegged on explicit data-use policies, robust privacy protection and effective participation of representatives of the workers. Ongoing medical surveillance presents some ethical challenges namely consent, data ownership, and punitive usage. These risks are mitigated through strong governance, anonymisation (where feasible) and iso-based competence and consultation provisions (wearable reviews) [7].



Fig 4: Wearable Alerts & Incident Reduction (Before Vs After)

7.4 Policy levers for scaling adoption in India

On the Indian evidence on CEMS, the clarification of a policy, the legalization of the monitoring data, and capacity building are needed to enlarge the impacts [16], [4]. The effective policy tools are as follows:

- time-bound subsidies/ grants to pilots,
- the regulatory acknowledgement of continuous monitoring as compliance relief,
- tax incentives on the investment in digital safety, and
- the national QA/ accreditation of CEMS and wearable vendors.

STANDARDS-MAPPED IMPLEMENTATION CHECKLIST (OPERATIONAL)

Policy & Governance

Map objectives to ISO clauses (risk assessment, operational control, management review). Ensure worker consultation and defined data-use consent.

Sensor & QA Strategy

Select sensors by risk criticality (CEMS for stack; multi-sensor wearables for worker exposure). Define QA/QC & calibration cycles [9].

Analytics & XAI

Use explainable models; generate human readable explanations of all the actionable alerts; maintain audit logs.

Integration & Interoperability

Use middleware/vendor-neutral APIs to avoid lock-in; support standard data formats.

Workforce Engagement

Train supervisors establish incentives; pilot iterations with representative worker groups.

Economic Evaluation

Run site-specific ROI models and sensitivity analyses prior to scale-up.

Table: KPI target values should be calibrated to plant baseline; frequency column tells operational teams where to place dashboards and alerts.

KPI	Definition	Data source	Frequency	Target
Mean ambient PM ($\mu\text{g}/\text{m}^3$)	Average particulate concentration at work zone	Ambient sensors + CEMS	Hourly → daily	≤ site limit (e.g., 50 $\mu\text{g}/\text{m}^3$)
Wearable heat-strain alerts	Count of heat stress alerts per 100 workers	Wearable physiological sensors	Daily	↓ 30% Y-o-Y
Near-miss events reported	Number of near misses logged & validated	Edge/local event logs	Daily → weekly	↑ reporting rate (culture)
Lost workdays per 100 workers	Days lost due to occupational incidents	HR & incident management system	Monthly	↓ 20% in 1st year
CEMS compliance uptime (%)	% time CEMS data meets QA/QC thresholds	CEMS QA logs	Weekly	≥ 95% uptime

CONCEPTUAL FRAMEWORK




Fig 5: Conceptual framework for ISO-aligned AI-IIoT SHE System

Explanation: The layer sensor records exposures and physiologic measurements. Edge processing carries out preprocessing, local rules and minimizes the latency of serious alerts. Using a secure, vendor-neutral bus, data is sent to cloud analytics, where XAI models are created to produce explainable alerts and root-cause inferences. The output of the decision process is superimposed to the ISO registers and the procedures; the management review and training completes the loop [15]. The feedback cycle will ensure constant improvement and support the assumptions of ROI with measured KPIs (exposure trends, lost workdays, frequency of incidence).

LIMITATIONS

- **Secondary data reliance:** Heterogeneity of published findings limits the precision of meta-analysis the study fails to generate primary, site level empirical validation.
- **Context specificity:** Financial performance is demonstrative and needs tailoring of the site
- **Rapid technology change:** The cost and functionality of devices change fast; an evaluation in terms of the results should be re-examined periodically.
- **Mitigation:** transparent bound sensitivity analysis and conservative prior sensitivity analysis were used.

CONCLUSIONS AND POLICY RECOMMENDATIONS

An AI-facilitated IIoT unrelenting insight, embedded in ISO-compliant management frameworks and managed by clarifiable AI practices and worker-led administration, could provide a value addition to occupational

health outcomes, as well as put forward beneficial techno-economic profits to medium and large Indian industrial sites. The actionable recommendations:

- **Regulatory clarity & incentives:** Establish legal recognition for CEMS and incentivise pilots through grants and tax credits [5].
- **National QA and accreditation:** Create national accreditation for CEMS and wearable vendors to ensure data quality and comparability.
- **Capacity building:** Invest in upskilling HSE teams in data analytics and XAI interpretation.
- **Worker governance:** Mandate worker representation in design, data governance, and roll-out decisions.
- **Open standards:** Encourage data formats and APIs that are vendor-neutral.

The implementation of the recommendations can help speed up the shift of episodic compliance to a continuous and long-term, sustainable SHE assurance that will help on the one hand keep the workers safe and on the other hand prove to be economically substantial.

References

1. Ali, S., et al. (2023). Explainable AI: What we know and what we need to know. *Information Fusion*. <https://www.sciencedirect.com/science/article/pii/S1566253523001148>
2. Arrieta, A. B., Díaz-Rodríguez, N., Del Ser, J., Bennetot, A., Tabik, S., Barbado, A., García, S., Gil-López, S., Molina, D., Benjamins, R., Chatila, R., & Herrera, F. (2020). Explainable Artificial Intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI. *Information Fusion*, 58, 82–115. <https://www.sciencedirect.com/science/article/abs/pii/S1566253519308103>
3. Campero-Jurado, I., Márquez-Sánchez, S., Quintanar-Gómez, J., Rodríguez, S., & Corchado, J. M. (2020). Smart Helmet 5.0 for Industrial Internet of Things Using Artificial Intelligence. *Sensors*, 20(21), 6241. <https://www.mdpi.com/1424-8220/20/21/6241>
4. Centre for Environment and Energy Research (CEEW). (2024). Assessing effectiveness of India's industrial emission monitoring systems. <https://www.ceew.in/sites/default/files/effectiveness-of-industrial-continuous-emission-monitoring-systems-and-state-ocems-portals-india.pdf>
5. CSE (Centre for Science and Environment). (2016). Implementation of Continuous Emission Monitoring Systems (survey report). <https://cdn.cseindia.org/userfiles/cems-implementation-survey-report.pdf>
6. Farooq, M. S., et al. (2023). A survey on the role of Industrial Internet of Things (IIoT) in manufacturing. *Sensors*, 23(21), 8958. <https://www.mdpi.com/1424-8220/23/21/8958>
7. Gursel, E., Madadi, M., Coble, J. B., Agarwal, V., Yadav, V., Boring, R. L., & Khojandi, A. (2024). The role of AI in detecting and mitigating human errors in safety-critical industries: A review. *Reliability Engineering & System Safety*. https://inldigitallibrary.inl.gov/sites/STI/STI/Sort_86940.pdf
8. International Labour Organization. (2024). Heat at work: Implications for safety and health. https://www.ilo.org/sites/default/files/2024-07/ILO_OSH_Heatstress-R16.pdf
9. International Organization for Standardization. (2015). ISO 14001:2015 — Environmental management systems — Requirements with guidance for use. <https://www.iso.org/obp/ui/#iso:std:iso:14001:ed-3:v1:en>
10. International Organization for Standardization. (2018). ISO 45001:2018 — Occupational health and safety management systems — Requirements with guidance for use. <https://www.nerldc.in/wp-content/uploads/ISO-45001-2018-standard.pdf>
11. Javaid, M., Haleem, A., Singh, R. P., et al. (2021). Upgrading the manufacturing sector via applications of Industrial Internet of Things (IIoT) <https://www.sciencedirect.com/science/article/pii/S2666351121000504>
12. Misra, S., Roy, C., Maiti, J., et al. (2022). Industrial Internet of Things for safety management applications: A survey. *IEEE Access*. <https://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=9841540>
13. Moon, J., et al. (2024). Wearable sensors for healthcare of industrial workers: A scoping review. *Electronics*, 13(19), 3849. <https://www.mdpi.com/2079-9292/13/19/3849>
14. Patel, V., Chesmore, A., Legner, CM., & Pandey, S. (2022). Trends in Workplace Wearable Technologies and Connected-Worker Solutions for Next-Generation Occupational Safety, Health, and Productivity. *Ergonomics in Design*. https://www.researchgate.net/publication/360834363_Trends_in_Workplace_Wearable_Technologies_and_Connected-Worker_Solutions_for_Next-Generation_Occupational_Safety_Health_and_Productivity
15. Research on NB-IoT and Techno-economic analyses: Nashiruddin, M. I., et al. (2021). Techno-economic analysis of NB-IoT deployment for smart metering. *IEEE conference proceedings*. <https://ieeexplore.ieee.org/document/9318920>
16. Srivastava, R. P., Kumar, S., & Tiwari, A. (2024). Continuous emission monitoring systems (CEMS) in India: Performance evaluation, policy gaps and financial implications for effective air pollution control. *Journal of Environmental Management*, 359, 120584. <https://pubmed.ncbi.nlm.nih.gov/38678893/>

17. Tamascelli, N., Campari, A., Parhizkar, T., & Paltrinieri, N. (2024). Artificial intelligence for safety and reliability: A descriptive, bibliometric and interpretative review on machine learning. *Journal of Loss Prevention in the Process Industries*.
<https://www.sciencedirect.com/science/article/pii/S0950423024001013>
18. UPCCCE. (2024). Continuous Emission Monitoring Systems (CEMS) in India
[https://upccce.org/public/UPLOADS/REPOSITORY/DOC/38_CEMS%20v7%20\(Pages\)%20\(1\).pdf](https://upccce.org/public/UPLOADS/REPOSITORY/DOC/38_CEMS%20v7%20(Pages)%20(1).pdf)
19. Wen, Y., et al. (2022). Recent advances and trends of predictive maintenance from a data-driven machine prognostics perspective. *Mechanical Systems and Signal Processing*, 165, 108294.
<https://www.sciencedirect.com/science/article/pii/S0263224121011805>
20. World Health Organization. (2022). Occupational health — health workers (fact sheet).
<https://www.who.int/news-room/fact-sheets/detail/occupational-health--health-workers>