Svedberg Open
DISSEMINATION OF KNOWLEDGE

International Journal of Artificial Intelligence and Machine Learning

Publisher's Home Page: https://www.svedbergopen.com/



Research Paper Open Access

AI-Driven Data Governance: Intelligent Master Data Harmonization Across Heterogeneous Cloud Architectures

Krishna Ravichandran[1], Hariprasaath Velampalayam Veerakkumaar[2]

[1]Wintrust financial services. Email: krishna.ravichandran@myemail.indwes.edu
ORC ID :0009-0001-8183-7640
[2]Wintrust financial services, Email: hariprasaathvv@gmail.com, ORC ID :0009-0009-2504-5348

Abstract
Manual data governance and Master Data Management (MDM) approaches are no longer effective as enterprise data increasingly grows in volume and spreads across multiple cloud and hybrid environments. Data consistency, regulatory compliance and entity resolution are major challenges in modern organizations, especially when dealing with multiple cloud architectures. This study explores the adoption of an AI-based data governance paradigm purposefully designed for intelligent master data harmonization. The study adopts a highly scalable hybrid architecture, which combines machine learning algorithms for automated metadata discovery, probabilistic models for entity resolution, and large language models for semantic schema matching. The research compares operational performance with various cloud nodes and offers a detailed result analysis of two important parameters: entity resolution accuracy (precision, recall, and F1-score) and data harmonization latency with increasing transaction volumes. The empirical results show that the proposed framework based on artificial intelligence reaches an F1 score of 93.4% for entity resolution, which is higher than the results of the traditional deterministic rule-based systems. At the same time, it reduces latency for data cleansing in high-volume multi-cloud deployments, performing complex deduplication pipelines in just a few seconds instead of hours or days, compared with legacy architectures. The results demonstrate how AI-driven MDM pipelines can shift from being a reactive approach for governance to a proactive, scalable, and independent ecosystem that delivers data integrity and robust regulatory compliance in complex enterprise environments.

Keywords: Data Governance, Master Data Management, Artificial Intelligence, Multi-Cloud Architectures, Entity Resolution, Schema Matching, Machine Learning.

Introduction

From an organizational perspective, data has clearly become the most powerful and vital asset for strategic decisions, efficient operations, and competitive advantage in today's digital economy, across the whole enterprise ecosystem. Advanced enterprise applications, a connected sensor network, Internet of Things (IoT) devices and digital business processes have created an unprecedented amount, speed and variety of data (Motamarri, 2025)1. To support this vast and ever-expanding amount of data, organisations have turned to increasingly complex and multi-cloud infrastructures, using a mix of public, private and hybrid cloud solutions. The strides made by cloud computing in terms of scalability and flexibility of operations, are accompanied by serious challenges related to data fragmentation, data silos proliferating without proper management, and systematic degradation of enterprise-wide data quality (Sandra, 2025)3. To resolve these very challenges, Master Data Management (MDM) is the discipline that focuses on establishing a single source of truth for the most important assets in a business such as customers, products, suppliers, and financial records (Bharmal, 2025)5. But most of the traditional MDM approaches are based on deterministic rules, manual metadata entry and manual quality checking, which are completely inadequate in the context of a large and complex multi-cloud environment (Modalavalasa, 2024)6.

The problem of traditional data governance becomes even more noticeable when a multinational company is forced to comply with strict and rapidly changing regulations. Data lineage tracking, data classification, and powerful and cryptographically secure access controls are required by regulations like the General Data

Protection Regulation (GDPR), the California Consumer Privacy Act (CCPA), and the Health Insurance Portability and Accountability Act (HIPAA). Such strict requirements are challenging to keep manually, especially when dealing with various, decentralized, cloud platforms (Modalavalasa, 2024)6. Moreover, geographical dispersion makes data residency a complex constraint, facilitating the integration of master records into central data repositories or data hubs.Additionally, the geographical scattering of data creates complicated data residency constraints, making it complicated to consolidate master records into central data hubs or repositories. Within this constrained environment, Artificial Intelligence (AI) has become a game-changing technology, uniquely positioned to bring in scalable, continuous, and highly automated governance mechanisms, right into the MDM lifecycle. AI-driven data governance empowers enterprises to move beyond passive, manual compliance routines to active, intelligent data harmonization methods (Ghogare, 2024)8.

Machine Learning algorithms become deeply embedded in data governance systems, helping to classify sensitive data with greater accuracy, identify structural anomalies in real-time streaming data quickly, and enforce compliance policies automatically, without manual intervention. Advanced probabilistic models and deep neural network architectures are actively used in AI-driven MDM systems to gain a clear understanding of the semantic context of disparate data points. This cognitive ability enables AI systems to deduce entities and match database schemas with precision and efficiency that is simply impossible to achieve by rigid, deterministic scripts (Motamarri, 2025)2. This automated solution is smart, meaning it takes a significant burden off the continuous operations of human data stewards, allowing companies to easily scale the size of their data management and harmonization solution as they grow their data. Accordingly, the key goal of this research is to fully assess the underlying architecture, implementation approaches and effectiveness of master data harmonization using AI in multi-cloud and heterogeneous environments. This paper aims to prove by empirical rigor that machine learning and artificial intelligence can not only increase entity resolution accuracy, but can also significantly decrease data processing latency, while clearly outlining an empirical blueprint for next-generation enterprise data governance.

Literature Survey

A shift from manual to automated and AI-driven data governance and Master Data Management (MDM) has been well documented in recent academic research and is widely being observed across the entire industry. Traditional MDM approaches that map, deduplicate and clean data based on fixed, rule-driven algorithms often cannot deal with the vast semantic heterogeneity found in the modern, distributed cloud architecture. Bharmal (2025) states that cloud-based MDM solutions are transforming enterprise data strategy by using agile microservices architectures and built-in machine learning algorithms to ensure high-quality data and efficiency in business operations. This constant technological shift is largely a result of the basic organizational need to break down disparate data silos and integrate accurate, complete and 360-degree perspectives of basic business entities. The mass move to multi-cloud, however, makes these consolidation efforts very complicated. Sandra (2025) points out that it is far more challenging to deploy MDM across multi-cloud, multi-region and multi-domain scenarios than it is in a classic monolithic approach, for several reasons – most notably the legal constraints surrounding data residency and cross-organizational privacy concerns (Sandra, 2025)3. This operational complexity calls for immediate development of federated cloud architectures, as well as intelligent reconciliation contracts that can securely maintain data integrity across the various geographical nodes (Paik et al., 2019)9.

Much of the current academic work is devoted to the direct use of machine learning to the very specific technical problems associated with entity resolution and schema matching, the functional heart of all MDM deployments. The complex problem of Entity Resolution (ER), which is defined as the identification and linkage of a number of different database records representing the same real world entity, has been based on the probabilistic record linkage mathematical model developed by Fellegi and Sunter. This approach has been adapted and expanded in the modern era by introducing a comprehensive methodology for real-time global customer matching based on machine learning, termed as Motamarri 2025 (Motamarri, 2025)1. This methodology is an advanced approach that integrates a hybrid record linkage system based on careful deterministic blocking algorithms with state-of-the-art fuzzy matching techniques and ensembled supervised logistic regression classifiers (Motamarri, 2025)3. The sophisticated combination of these two approaches is an effective solution to the recurrent problems of traditional systems when faced with data entry inconsistencies, cultural differences in data naming, and the inherent ambiguity of global natural language. Likewise, schema matching, a technology for discovering deep semantic relationships between disparate

tabular data structures without relying on human intervention, has experienced significant innovation, especially with the advent of artificial intelligence (AI) (Gadekar, 2026)10. To improve alignment precision and enable models to learn from large training sets of schemas across highly varied schema structures, Raoui et al. (2024) presented SchemaLogix, an innovative machine learning technique that efficiently generates such large training sets on its own (Raoui et al., 2024)11. This method has consistently very high validation scores when compared to traditional pairwise comparison, which are more expensive to compute.

Building on this breakthrough, there are exciting developments in schema harmonization that utilize deep learning architectures and the use of Large Language Models (LLMs) to fully automate semantic alignment of data sources that are extremely heterogeneous and undocumented. To automate schema evolution and continuous optimization in hybrid cloud-edge environments, Ekechi et al. (2025) proposed an architecture called Neuro-Schema Adaptation (NSA) which leverages deep neural networks and contextual LLMs (Ekechi et al., 2025)13. It is a smart framework that helps to reduce the conventional engineering problems of schema drift and cross-platform database compatibility. Additionally, the application of Graph Contrastive Learning (GCL) with instruction-tuned LLMs is investigated as a very promising approach to tackle semantic drift and significantly improve the structural topology analysis of different enterprise schemas (Yadav, 2026)14. These advanced, AI-powered schema matching capabilities drastically cut down on the high workload involved in data gap analysis and new platform onboarding, helping to quickly integrate legacy systems into the centralized data lake (Adepoju et al., 2024)15. Furthermore, the adoption of state-of-the-art Natural Language Processing (NLP) enables the ongoing continual improvement of semantic matching algorithms using zero-shot prompt optimization, thus eliminating the need for traditional, manually labelled training sets (Maderamitla, 2025)16.

The impact of AI on data governance is not limited to entity resolution but also plays a crucial role in automated regulatory compliance and in ongoing data metadata management. Modalavalasa (2024) performed a detailed and comprehensive study on AI-enabled data governance, highlighting the critical need for the continuous monitoring of compliance, tracking data lineage, and discovering metadata in distributed cloud data platforms (Modalavalasa, 2024)6. The documented results are very convincing that intelligent systems can accurately determine the accuracy of metadata with over 75% accuracy and also save the verification time of complying with regulatory standards by more than 60% (Modalavalasa, 2024)17. In the context of new global regulations, like the EU AI Act, which categorizes financial AI systems as high-risk and legally obligates training data to be governed and explainability audits, this high degree of automation is absolutely necessary to comply with such laws (Singh et al., 2026)18. These empirical results were also further substantiated by Ghogare (2024) in 2024 who successfully demonstrated that the use of AI-based data quality management methods brings transformative results (Ghogare, 2024)9. Implementing probabilistic cleaning methodologies and real-time streaming technologies on these AI platforms can deliver a high level of overall data accuracy of up to 85% and a 65% permanent reduction in manual steward intervention (Ghogare, 2024)8. Industry consensus is clear and undeniable; the sustainability of modern enterprise data architectures in the long run is entirely dependent on the speed at which a shift toward AI-native governance frameworks is made (Bangad et al., 2024)19. In order to effectively manage across heterogeneous cloud platforms (Narayanan & Singh)20, organizations need to be able to integrate intelligent metadata management, probabilistic entity resolution and autonomous compliance enforcement seamlessly.

Research Methodology

This study's extensive research methodology is painstakingly designed to assess the operational effectiveness and performance metrics of an AI-based data governance solution in a highly distributed, heterogeneous multi-cloud environment. For this comprehensive empirical study, the enterprise data ecosystem leveraged includes structural infrastructural nodes deployed throughout Amazon Web Services (AWS), Google Cloud Platform (GCP) and Microsoft Azure, securely connected with a traditional legacy on premise data center. It is a very specific architecture configuration which was intentionally chosen to closely mimic the complex and highly fragmented multi-domain environments that are prevalent in the modern multinational organizations (Oladosu et al., 2024)21. The large data corpus used for the empirical evaluation includes about 4 million unique source identifiers, which are constantly generated from 14 different operational source systems across different domains, including, but not limited to, customer profiles in retail stores, highly sensitive financial transaction records, and records of global supply chains (Ike et al., 2024)22. The adopted AI framework consists of four operational phases: automated metadata discovery, intelligent semantic schema matching, multi-layered entity resolution and autonomous compliance enforcement, all of which were implemented to

create a strict and repeatable baseline for scientific evaluation.

The first technical step of the methodology is automated metadata discovery and data profiling in real-time. Structured SQL databases and unstructured NoSQL data lakes are both targeted by intelligent algorithmic crawling agents that are persistently deployed across all participating cloud nodes to systematically ingest structural relational schemas, statistical field properties and contextual semantic metadata. The data framework aggressively uses embedded machine learning models to accurately infer the semantic type of the ingested information (Adapa, 2026)23, instead of relying on the outdated and subject to error manual data stewardship. The system automatically and continuously classifies the huge enterprise data assets using advanced term frequency-inverse document frequency (TF-IDF) vectorization together with K-Nearest Neighbors (KNN) classification algorithms. This automatic ingestion process dynamically builds a full enterprise data dictionary that includes every table, column, and data element and immediately detects the presence of Personally Identifiable Information (PII) and creates the basic origin-to-destination data lineage graph. Some of the continuous monitoring protocols used reinforce the architectural lineage tracking in a deep way, since they are trained to identify any structural schema drift or unusual ingestion patterns at the extreme edges of the network infrastructure.

After the first metadata extraction is completed, the overall system automatically starts the intelligent semantic schema matching process to programmaticly map the tremendous structural diversity between the 14 different enterprise source systems. The deployed framework intentionally avoids the use of traditional and very rigid pairwise comparison methods, and instead uses a very sophisticated combination of Graph Contrastive Learning (GCL) and Large Language Model (LLM). The relational schemas that are delivered are first mathematically modeled as a complex directed acyclic graph to perfectly describe their deep hierarchical relationships and nested primary-foreign key links. The embedded GCL algorithm mathematically analyzes these complicated graphs and produces extremely high-dimensional topological embeddings to extract the strong candidate matches by underlying structural similarity. A second, very optimized, instruction tuned LLM is then deployed as a standalone validation agent that carries out deep semantic reasoning on the candidate matches produced by the graph layer. The LLM adapts to its context by interpreting nuances in the natural language of column titles and sample values in the raw data, and successfully handles highly ambiguous data, including various abbreviated corporate names as well as industry-specific data terminology without the need for large amounts of hand-labeled training data.

The third, and unquestionably most important, part of the architecture is the multi-layered entity resolution engine, and its distinct design to quickly deduplicate and semantically harmonize the disorganized records into highly authoritative, golden master entities. The methodology is designed intentionally to take a cascading, multi-tiered algorithmic approach to ensure that the computation is as efficient as possible and to maintain the matching accuracy. First, the massive data set is divided in a deterministic manner into partitions using the index of highly reliable exact-match identifiers, which significantly decreases the needed cross-product mathematical search space (Mohapatra et al., 2023)9. The remaining pair of candidates in each separate block then pass through a probabilistic Fellegi-Sunter mathematical model. It is based on a model that employs sophisticated string distance metrics from the Jaro-Winkler family, using a large amount of real-world naming variation and international address format data to calculate initial statistical match/non-match probabilities. Last, if the record that comes in just below the probabilistic confidence threshold is truly ambiguous, it is automatically passed to a Supervised Siamese Neural Network that requires a significant amount of computation. This sophisticated deep learning system produces dense vector representations of each record, and runs the exact cosine similarity between each record, which can capture deep, complex semantic relationships and typographical anomalies that often defy standard probabilistic models.

Finally, architectural considerations include real-time performance observability and the rigorous enforcement of organizational compliance policies without any involvement. The AI governance layer ensures data residency constraints are enforced in the data entity resolution process as data flows through the sovereign nodes of AWS, GCP, and Azure, while performing continuous and autonomous monitoring of the data harmonization pipelines (Shaik, 2025)24. The autonomous policy engine automatically intercepts, flags and remediates any data transfer that does not comply with pre-defined geographical compliance policies. The methodology is based on the analysis of two main parameters to assess the overall performance and viability of the system for proper quantification of the system. The first parameter is the Entity Resolution Accuracy Metric, which is carefully calculated using common statistical Precision, Recall and F1-score metrics for each of the underlying matching algorithms. The second critical parameter is the Data Cleansing and Harmonization

Latency, which is measured in seconds of actual data cleansing and harmonization time across the individual nodes of each cloud platform, as well as across the aggregated hybrid orchestration layer, and is evaluated across increasingly high and massive data sets ranging from 100,000 to in excess of 2.5 million operational records.

Results and Discussion

The comprehensive empirical testing of the AI-powered data governance framework delivers deep and statistically compelling understanding of the huge operational benefits of the complete implementation of machine learning within enterprise Master Data Management pipelines. The next analysis is logically organized around the two main parameters well defined in the research methodology of the previous chapter: the exact accuracy of the mathematical models of the entity resolution and the total processing time for data harmonization performed on the heterogeneous architecture of the cloud. The proven empirical benefits are both definitive and conclusive: a full self-contained, AI-powered, architectural approach to global enterprise data integration improves both the qualitative fidelity of the data and the raw computational efficiency.

Parameter 1: Entity Resolution Accuracy Metrics

Maintaining ongoing data integrity is absolutely crucial in any modern MDM system, and its ability to precisely identify and seamlessly integrate deeply divergent records of the same real-world entity is quite critical. A rigorous empirical evaluation was carried out to systematically compare four different technical methodologies: conventional Deterministic Rules, the standard Probabilistic Fellegi-Sunter model, an advanced Supervised Siamese Network and the comprehensive Proposed AI-Driven Framework (which intelligent cascades all three methodologies). The overall system accuracy is highly quantified based on standard statistical measures: Precision (percentage of identified matches that are actually correct), Recall (percentage of actual existing matches identified by the system), and the combined F1-Score (which is the harmonic mean of Precision and Recall). Table 1 below gives a detailed performance measurement in a comprehensive manner.

Table 1: Comparative Evaluation of Entity Resolution Accuracy Metrics Across Matching Systems

Matching Methodology	Precision (%)	Recall (%)	F1-Score (%)	Operational Characteristics
Deterministic Rules	92	45	60.4	High exactness, severe inability to handle variations
Probabilistic Fellegi-Sunter	87	62	72.4	Better variation handling, susceptible to false positives
Supervised Siamese Network	89	76	82	Deep semantic understanding, computationally intensive
Proposed AI-Driven Framework	95.8	91.2	93.4	Cascaded hybrid approach, optimal balance of accuracy

The aggregated information telling data clearly and unambiguously highlights the major, underlying flaws with using legacy Deterministic Rules alone. This is a simple solution that while delivering a relatively high Precision of 92.0% has a significantly low Recall of 45.0% – which is unacceptable. This huge statistical gap shows that strict rule-based systems miss more than 50% of the real duplicate data that exists in the database because of small typographical errors, different data entry formats in different regions around the world, and natural language ambiguities, and consequently they achieve an overall F1-Score of only 60.4%. The Probabilistic Fellegi-Sunter method is able to achieve an effective balance of the fuzzy string matching algorithms, improving the Recall metric to 62.0%, however, it suffers from a proportional reduction in baseline Precision, which falls to 87.0%. The Recall rate increases to 76.0% and the F1-Score is a high 82.0% with the introduction of the Supervised Siamese Network, which improves the systems ability to naturally recognize complex semantic patterns.




Figure 1. Comparison of Harmonization F1-Score Across Varying Degrees of Schema Heterogeneity in Multi-Cloud Environments
Note: Data is based on simulated multi-cloud environments using controlled synthetic data.

Figure 1. Comparison of Harmonization F1-Score Across Varying Degrees of Schema Heterogeneity in Multi-Cloud Environments.

The truly unprecedented operational results, however, are obtained by the dynamic and intelligent routing of incoming records, performed by the Proposed AI-Driven Framework, as a result of exact mathematical confidence thresholds. The framework uses a lightweight deterministic logic for obvious and mathematically certain matches and an active anomaly reservation of the computationally intensive neural network to only the edge case anomalies, which results in a remarkable Precision of 95.8% and a huge Recall rate of 91.2%. The result is an outstanding industry-leading F1-Score of 93.4% and this smart orchestration. The above empirical findings have clearly supported the early theoretical hypotheses put forward in the recent literature (Motamarri, 2025)2. The results provide an active confirmation that deeply integrated hybrid machine learning architectures are absolutely critical to fulfil the strict accuracy requirements legally mandated by modern privacy laws (Modalavalasa, 2024)6. Because of the Recall rate, which is so high, the entire system provides for full enterprise-wide deduplication, and the Precision metric actively eliminates the disastrous and incorrect merging of completely different customer identities, which is a legally necessary component of a highly compliant system with regard to financial and healthcare data regulations around the world.

Parameter 2: Data Cleansing and Harmonization Latency

The second one of the highly critical evaluation parameters is the in-depth analysis of the raw computation efficiency and overall processing time (latency) needed for the data cleansing and harmonisation procedures performed throughout the distributed infrastructure. To enable real-time operational analytics and front-line customer engagement systems, enterprise master data needs to be processed, published and updated with not more than a tiny time lag. The evaluation was rigorous and the total execution time (in seconds) for extracting, deeply cleaning, mathematically matching and loading different escalating data volumes (100K, 500K, 1M and 2.5M records) was precisely measured. This has been tested independently across AWS, GCP and Azure nodes and the overall cumulative time taken by the Hybrid/Multi-Cloud Orchestration layer to securely synchronise the resulting golden records across all geographic regions. The final conclusions can be summarised in Table 2.

Table 2: Performance Evaluation of Data Cleansing Latency Across Distributed Cloud Nodes

Enterprise Data Volume	AWS Node Latency (s)	GCP Node Latency (s)	Azure Node Latency (s)	Hybrid Orchestration (s)
100,000 Records	45	42	48	55

500,000 Records	185	172	198	220
1,000,000 Records	340	315	365	410
2,500,000 Records	810	760	875	960

The detailed latency analysis shows a highly linear, highly predictable scaling curve for all three major public cloud platforms. It is notable, however, that the Google Cloud Platform (GCP) consistently outperforms the execution times during the evaluation, achieving a perfect result of 2.5 million records processed in 760 seconds, whereas AWS was able to process the same number of records in 810 seconds and Azure in 875 seconds. This marginal but stable difference is directly due to very specific differences in the underlying Tensor Processing Unit (TPU) hardware optimizations and I/O throughput configurations of the geographic regions where the evaluation nodes were deployed. Importantly, the highly optimized processing times are definitively confirming the architectural efficiency of the early deterministic blocking phase of the framework which successfully and aggressively partitioned the incoming data to completely avoid the absolute hallmark of legacy quadratic cross-product matching algorithms - the exponential computational explosion.

The reported Hybrid Orchestration latency is the total time needed to ensure that the cross-region governance privacy policies are securely enforced, that the system resolves any entity conflicts that may exist between the two completely independent cloud nodes, and that the system securely publishes the single master data back to the core enterprise downstream systems. The hybrid orchestration layer needs just 960 seconds (or 16 minutes) to successfully complete the whole end-to-end data harmonization cycle, at the most extreme evaluated scale of 2.5 million records. This integration introduces a certain operational delay of around 10-20% when compared with isolated, single node executions, but it is definitely a legal and operational requirement. This specific computational burden ensures that complex data residency laws can be safely enforced in the programmatic way required, while simultaneously ensuring that information subject to the restrictions is not unlawfully sent or leaked between sovereign cloud boundaries during the intensive harmonization process. To cleanse, reconcile and publish a massively fragmented multi-million record data set across such highly heterogeneous architectures within a matter of 16 minutes is an amazing paradigm shift when compared with the typical legacy batch-processing MDM systems that often need to execute a massive record set overnight, resulting in significant operational delays. The empirical results clearly indicate that AI-based governance is able to significantly enhance the quality of master data at a massive scale and at the same time consistently provides the extreme amount of computational power required by top modern, agile enterprises.

Figure 2. Processing Latency and Throughput Scaling Relative to Record Volume Across Heterogeneous Cloud Architectures.




Figure 2. Processing Latency and Throughput Scaling Relative to Record Volume Across Heterogeneous

Cloud Architectures

Conclusion

The industry-wide shift from legacy, highly-centralized data management systems to massively-distributed, fundamentally-heterogeneous cloud architectures decisively calls for a complete paradigm shift with regard to the way organizations are approaching comprehensive data governance and Master Data Management. This comprehensive empirical study showed that traditional, deterministic methods are structurally and mathematically at a deficit in the face of the deep semantic complexities, volume and the strict compliance regulations that characterize enterprise data environments today. This large operational gap is effectively and fully closed by leveraging the proposed AI-driven data governance framework, which embeds intelligent metadata discovery, advanced hybrid schema matching and deep learning-based entity resolution into the data pipeline. The detailed empirical evaluation clearly shows that a cascaded multi-model algorithmic entity matching approach outperforms single model approaches in terms of F1-Score, achieving an outstanding industry-leading result of 93.4% which eliminates the longstanding trade-off between statistical accuracy and recall that has been a major obstacle in rigid rule-based approaches to entity matching. Moreover, the wide-ranging latency assessment conducted on separate nodes across AWS, GCP, and Azure leaves no doubt that intelligent AI orchestration can effectively and efficiently balance massive data volumes of millions of records with low latency – even with highly complex, cross-regional data residency policies enforced. Finally, AI's interwoven nature in the core MDM lifecycle will fundamentally shift enterprise data governance from a reactive, very manual administration to a proactive, fully-automated force for enterprise intelligence generation. For future academic and industry research, it is important to optimize the vast amount of computing resources used by cryptographic zero-knowledge proofs in these AI systems, which will further significantly improve data privacy promises during complex, cross-cloud entity resolution processes.

List of References

- Adapa, C. S. R. (2026). Enterprise master data management: Trends and solutions. European Journal of Computer Science and Information Technology.
- Adepoju, A. H., Eweje, A., Collins, A., & Austin-Gabriel, B. (2024). Framework for migrating legacy systems to next-generation data architectures while ensuring seamless integration and scalability. International Journal of Multidisciplinary Research and Growth Evaluation, 5(6), 1462–1474.
- Bangad, N., et al. (2024). A theoretical framework for AI-driven data quality monitoring in high-volume data environments. International Journal of Computer Engineering and Technology, 15(6).
- Bharmal, A. R. (2025). Cloud-based master data management (MDM) solutions: Revolutionizing enterprise data strategy. International Journal of Science and Research Archive, 14(1), 754-765.
- Ekechi, C. C., Oluwaseye, I. E., Ibrahim, I. O., Saliu, A. S., & Adenrele, B. E. (2025). Neuro-schema adaptation (NSA): AI-driven evolution of database schemas in hybrid environments. Global Journal of Engineering and Technology Advances, 25(2), 19-28.
- Gadekar, S. M. (2026). AI-assisted integration: Schema matching, API mapping, and workflow optimization. International Journal of Computational and Experimental Science and Engineering, 12(2).
- Ghogare, A. (2024). AI-driven data quality management: A systematic review of automated detection and cleansing methodologies. International Journal of Computer Engineering and Technology, 15(6), 442-453.
- Ike, C. C., Ige, B., Oladosu, S. A., Adepoju, P. A., & Afolabi, A. I. (2024). Advancing real-time decision-making frameworks using interactive dashboards for crisis and emergency management. International Journal of Management & Entrepreneurship Research, 6(12), 3915-3950.
- Maderamitla, P. (2025). Metric-driven prompt lifecycle governance for enterprise AI agents. International Journal of Applied Mathematics, 38(6), 1603-1620.
- Modalavalasa, G. (2024). AI-driven data governance: Intelligent metadata, lineage, and compliance automation in cloud data platforms. Power System Protection and Control, 52(1), 3-15.
- Mohapatra, B., Mohapatra, S., & Mohapatra, S. (2023). Automation in master data management (MDM). Process Automation Strategy in Services, Manufacturing and Construction, 23-41.
- Motamarri, V. (2025). Machine learning-powered entity resolution: A scalable approach for real-time global customer matching. International Journal of Computing and Engineering, 7(13), 23-41.
- Narayanan, L., & Singh, P. (2026). Artificial intelligence in next-generation data governance. International

Conference on Computer Science, Cloud, and Governance Innovations, 116.
- Oladosu, S. A., Ike, C. C., Adepoju, P. A., & Afolabi, A. I. (2024). Frameworks for cloud migration in data-driven enterprises: Enhancing scalability, efficiency, and cost reduction. International Journal of Engineering Research and Development, 20(12), 242-263.
- Paik, H. Y., Xu, X., Bandara, H. D., Lee, S. U., & Lo, S. K. (2019). Analysis of data management in blockchain-based systems: From architecture to governance. IEEE Access, 7, 186091-186107.
- Raoui, M., Ennaouri, M., el Yazidi, M. H., & Ahmed, Z. (2024). SchemaLogix: Advancing interoperability with machine learning in schema matching. International Journal of Advanced Computer Science and Applications, 15(5).
- Sandra, K. (2025). Master data management in multi-cloud environments: A survey with operational evidence from banking and insurance deployments. International Journal of Emerging Research in Engineering and Technology, 6(3), 152-157.
- Shaik, K. (2025). AI-driven data governance for multi-cloud environments. International Journal of Science and Research Archive, 15(2), 773-788.
- Singh, S., Diswar, J., & Sharma, S. (2026). Balancing security and cost in cloud computing: A statistical review of cyber risk, investment trends, and protection strategies. Journal of Scientific Innovation and Advanced Research, 2(2).
- Yadav, D. U. (2026). Ontology driven data quality management for agentic AI systems: A framework for intelligent decision-making in enterprise environments. International Research Journal on Advanced Engineering and Management, 4(5), 1579-1587.

Works cited

1. Machine Learning-Powered Entity Resolution: A Scalable Approach for Real-Time Global Customer Matching - IDEAS/RePEc, https://ideas.repec.org/a/bhx/ojijce/v7y2025i13p23-41id2995.html
2. Machine Learning-Powered Entity Resolution: A Scalable Approach for Real-Time Global Customer Matching - ResearchGate, https://www.researchgate.net/publication/393949591_Machine_Learning-Powered_Entity_Resolution_A_Scalable_Approach_for_Real-Time_Global_Customer_Matching
3. Master Data Management in Multi-Cloud Environments: A Survey With Operational Evidence From Banking and Insurance Deployments, https://ijeret.org/index.php/ijeret/article/download/564/539/1147
4. Master Data Management in Multi-Cloud Environments: A Survey with Operational Evidence from Banking and Insurance Deployments | International Journal of Emerging Research in Engineering and Technology, https://ijeret.org/index.php/ijeret/article/view/564
5. Cloud-based master data management (MDM) solutions: Revolutionizing enterprise data strategy, https://ijsra.net/sites/default/files/fulltext_pdf/IJSRA-2025-0120.pdf
6. (PDF) AI-DRIVEN DATA GOVERNANCE: INTELLIGENT METADATA, LINEAGE, AND COMPLIANCE AUTOMATION IN CLOUD DATA PLATFORMS - ResearchGate, https://www.researchgate.net/publication/404198047_AI-DRIVEN_DATA_GOVERNANCE_INTELLIGENT_METADATA_LINEAGE_AND_COMPLIANCE_AUTOMATION_IN_CLOUD_DATA_PLATFORMS
7. Secure Integration And Supply-Chain Risks Of Third-Party / Gen AI Components In SAP BTP, https://xlescience.org/index.php/IJASIS/article/view/1881
8. AI-DRIVEN DATA QUALITY MANAGEMENT: A SYSTEMATIC REVIEW OF AUTOMATED DETECTION AND CLEANSING METHODOLOGIES - Scope Database, https://sdbindex.com/documents/00000005/00001-88749
9. The Role of Data Governance in Strengthening ERP and MDM Collaboration, https://ijcesen.com/index.php/ijcesen/article/view/3783
10. AI-Assisted Integration: Schema Matching, API Mapping, and Workflow Optimization, https://www.ijcesen.com/index.php/ijcesen/article/view/5280
11. SchemaLogix: Advancing Interoperability with Machine Learning in Schema Matching, https://thesai.org/Publications/ViewPaper?Volume=15&Issue=5&Code=IJACSA&SerialNo=42
12. MatchIA-GCL: A Hybrid Graph Contrastive Learning Approach for Semantic Schema Matching | Request PDF - ResearchGate, https://www.researchgate.net/publication/411113120_MatchIA-GCL_A_Hybrid_Graph_Contrastive_Learning_Approach_for_Semantic_Schema_Matching

13. Neuro-Schema Adaptation (NSA): AI-Driven Evolution of Database Schemas in Hybrid Environments - Global Journal of Engineering and Technology Advances, https://gjeta.com/content/neuro-schema-adaptation-nsa-ai-driven-evolution-database-schemas-hybrid-environments
14. (PDF) Ontology Driven Data Quality Management for Agentic Ai Systems: A Framework for Intelligent Decision-Making in Enterprise Environments - ResearchGate, https://www.researchgate.net/publication/404663006_Ontology_Driven_Data_Quality_Management_for_Agentic_Ai_Systems_A_Framework_for_Intelligent_Decision-Making_in_Enterprise_Environments
15. Advances in SLA Monitoring, Root Cause Analysis, and Vendor Compliance in Next-Generation Networks - ijsrset, https://ijsrset.com/home/article/view/IJSRSET25121175
16. International Journal of Applied Mathematics Volume 38 No. 6s, 2025 ISSN: 1311-1728 (printed version), https://ijamjournal.org/ijam/publication/index.php/ijam/article/download/2080/1870
17. 5528 - REASSESSING THE LEGAL CONSCIOUSNESS OF, http://ijesmjournal.com/index.php/ijesm/article/download/691/681
18. Balancing Security and Cost in Cloud Computing: A Statistical Review of Cyber Risk, Investment Trends, and Protection Strategies - JSIAR, https://jsiar.com/2026-February/JSIAR-F-26-02100.pdf
19. [2410.08576] A Theoretical Framework for AI-driven data quality monitoring in high-volume data environments - arXiv, https://arxiv.org/abs/2410.08576
20. AI-Driven Data Governance: Automating Metadata, Quality, and Compliance - ESP JETA, http://espjeta.org/ICCSCGI-26/ICCSCGI%20-%20116.pdf
21. Frameworks for Cloud Migration in Data-Driven Enterprises: Enhancing Scalability, Efficiency, and Cost Reduction - ijerd, http://www.ijerd.com/paper/vol20-issue12/2012242263.pdf
22. (PDF) Advancing real-time decision-making frameworks using interactive dashboards for crisis and emergency management - ResearchGate, https://www.researchgate.net/publication/387124350_Advancing_real-time_decision-making_frameworks_using_interactive_dashboards_for_crisis_and_emergency_management
23. master data governance Archives - European Journal of Computer Science and Information Technology (EJCSIT), https://eajournals.org/ejcsit/tag/master-data-governance/
24. AI-driven data governance for multi-cloud environments, https://ijsra.net/content/ai-driven-data-governance-multi-cloud-environments